

## Safety Data Sheet

### JALAPENO PIECES

Safety Data Sheet dated: 5/28/2015 - version 1 Date of first edition: 5/28/2015

## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: JALAPENO PIECES

### Other means of identification

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Sensient Natural Ingredients  
151 South Walnut Road  
Turlock, CA  
+1 209-667-2777

## 2. HAZARD(S) IDENTIFICATION

This mixture has not been tested as a whole. It contains ingredients that could present a health hazard to employees, as outlined below.



### Classification of the chemical

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

### Label elements

#### Symbols:



Warning

#### Code

#### Description

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

#### Code

#### Description

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash contact areas thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/... if you feel unwell.
P321	Specific measures (see supplemental first aid instructions on this label or in the SDS).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

### Ingredient(s) with unknown acute toxicity

None

**Hazards not otherwise classified identified during the classification process:**

None

NIOSH has reported the occurrence of severe lung disease in some workers who make or use flavorings. According to the December 2003 NIOSH Report, the main respiratory symptoms experienced by workers affected by fixed airways obstruction include cough (usually without phlegm) and shortness of breath on exertion. NIOSH further reports that some workers may experience fever, night sweats, and weight loss.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substances**

Not determined

**Mixtures**

The identify of one or more individual components of this mixture and the exact percentage concentrations of disclosed components of this mixture are considered proprietary information and are being withheld as trade secret information pursuant to 29 CFR 1910.1200(i).

**List of components**

Qty	Name	Ident. Numb.
> 50 %	CHILI PEPPER PUNGENT	

---

**4. FIRST AID MEASURES**

**Description of first aid measures**

In case of skin contact:

- Immediately take off all contaminated clothing and shoes.
- Immediately remove any contaminated clothing, shoes or stockings.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eye contact:

- Wash immediately and thoroughly with running water, keeping eyelids regularly raised, for at least 15 minutes. Cold water may be used. Check for and remove any contact lenses at once. OBTAIN A MEDICAL EXAMINATION.
- Protect the eyes with a sterile gauze or a clean, dry handkerchief.

In case of ingestion:

- Do not induce vomiting. Seek immediate medical attention and provide SDS to medical provider.

In case of inhalation:

- If breathing is irregular or stopped, administer artificial respiration.
- In case of inhalation, seek immediate medical attention and provide SDS to medical provider.

**Most important symptoms/effects, acute and delayed**

- Eye irritation
- Eye damage
- Skin irritation
- Erythema

**Indication of any immediate medical attention and special treatment needed**

In case of accident or exposure, seek immediate medical attention and provide SDS to medical provider.

---

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media**

Suitable extinguishing media:

- In case of fire use dry chemical, foam or CO2 for extinction.
- In case of fire use dry chemical, foam or CO2 for extinction.

**Unsuitable extinguishing media**

None identified

**Specific hazards arising from the chemical**

- Do not inhale explosion or combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: Not determined
- Explosive properties: Not relevant (UN Test 3(a)ii BAM Fallhammer)
- Oxidizing properties: Not relevant (Oxidizing Liquids Test Chamber)

**Special personal protective equipment and precautions for fire-fighters**

- Use suitable breathing apparatus.
- Collect contaminated fire extinguishing water. Do not discharge into drains.
- Move undamaged containers from immediate hazard area but only if it can be done safely.

---

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

- Wear personal protective equipment.
- Wear breathing apparatus if exposed to vapors/dusts/aerosols.
- Provide adequate ventilation.
- Use appropriate respiratory protection.

See protective measures under points 7 and 8.

#### **Methods and material for containment and cleanup**

Suitable material for taking up: dry and inert absorbing material (e.g. vermiculite, sand, earth).  
Wash with plenty of water.

---

### **7. HANDLING AND STORAGE**

#### **Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapors and mists.  
Do not use on extensive surface areas in premises where there are occupants.  
Use localized ventilation system.  
Clean empty container before re-using.  
Before conducting transfer operations, assure that there aren't any incompatible material residuals in the receiving container.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended personal protective equipment.

#### **Conditions for safe storage, including any incompatibilities**

Incompatible materials:

None identified

Instructions regarding storage premises:

Adequately ventilated premises.

---

### **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control parameters**

No Data Available

Appropriate engineering controls: Not determined

#### **Individual protection measures**

Eye/face protection:

Use close-fitting safety goggles (standard safety glasses are not adequate).

Skin protection:

Use clothing that provides comprehensive protection to the skin; e.g., cotton, rubber, PVC, or viton.

Hand protection:

Use protective gloves that provide comprehensive protection; e.g., PVC, neoprene, or rubber.

Respiratory protection:

Use adequate protective respiratory equipment; e.g., CEN/FFP-2(S) or CEN/FFP-3(S).

Additional Information:

In December 2003, the National Institute for Occupational Safety and Health (NIOSH) published an Alert on preventing lung disease in workers who use or make flavorings. NIOSH Publication Number 2004-110. In August 2004, the United States Flavor and Extract Manufacturers Association (FEMA) issued a report entitled, "Respiratory Safety in the Flavoring Manufacturing Workplace". Both of these documents provide recommendations for reducing employee exposure and for medical surveillance in the workplace. The recommendations in these documents are generally applicable to the use of any chemical in the workplace and you are strongly urged to review both of these documents.

---

### **9. PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on basic physical and chemical properties**

Physical State Solid

Appearance: Powder, Green (Visual)

Odor: Chili (Organoleptic)

Odor threshold: Not determined (Organoleptic)

pH: Not determined (pH meter)

Melting point/ range: Not determined

Boiling point/ range: Not determined (OECD GUIDELINE 103)

Flash point: Not determined (Pensky-Martens Closed Cup Test (ASTM D93))

Evaporation rate: Not determined (Shell Thin-Film Evaporometer ASTM D3539 - 87(2004) )

Upper/lower flammability or explosive limits: Not determined (ASTM E681-09)

Vapor density: Not determined (Calculation)

Vapor pressure: Not determined (ASTM D5190 - 07 for Petroleum Products)

Density: Not determined (OECD GUIDELINE 109)

Water solubility: Not determined (OECD GUIDELINE 105)

Lipid solubility: Not determined (OECD GUIDELINE 105)

Partition coefficient (n-octanol/water): Not determined (OECD GUIDELINE 123 Slow-Stirring Method)

Auto-ignition temperature: Not determined (ASTM E659 Method for Liquid Chemicals.)

Decomposition temperature: Not determined (Time Pressure Test Vessel)

Viscosity: Not determined (OECD GUIDELINE 114)  
Explosive properties: Not determined (UN Test 3(a)ii BAM Fallhammer)  
Oxidizing properties: Not determined (Oxidizing Liquids Test Chamber)  
Flammability (Solid, Gas): Not determined (ASTM Method E681-94.)

#### **Other information**

Substance group relevant properties: Not determined  
Miscibility: Not determined  
Fat solubility: Not determined  
Conductivity: Not determined (Conductivity meter)

---

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Stable under normal conditions.

#### **Chemical stability**

Data not available.

#### **Possibility of hazardous reactions**

Burning produces carbon monoxide and/or carbon dioxide.

#### **Conditions to avoid**

Stable under normal conditions of temperature and pressure.

#### **Incompatible materials**

Avoid strong oxidizing agents, peroxides, acids, alkali metals.

#### **Hazardous decomposition products**

Burning produces carbon monoxide and/or carbon dioxide.

---

### **11. TOXICOLOGICAL INFORMATION**

#### **Information on toxicological effects**

Toxicological information of the product: No Data Available

#### **Substance(s) listed on the IARC Monographs:**

None

#### **Substance(s) listed as OSHA Carcinogen(s):**

None

#### **Substance(s) listed as NIOSH Carcinogen(s):**

None

#### **Substance(s) listed on the NTP report on Carcinogens:**

None

---

### **12. ECOLOGICAL INFORMATION**

#### **Toxicity**

Adopt good working practices so that the product is not released into the environment.

#### **Persistence and degradability**

Not determined

#### **Bioaccumulative potential**

Not determined

#### **Mobility in soil**

Not determined

#### **Other adverse effects**

Not determined

---

### **13. DISPOSAL CONSIDERATIONS**

#### **Waste treatment methods**

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

Recover if possible. Comply with applicable regulations.

---

### **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

#### **UN number**

ADR-UN number: Not determined

DOT-UN Number: Not determined  
IATA-Un number: Not determined  
IMDG-Un number: Not determined

**UN proper shipping name**

**Transport hazard class(es)**

ADR-Class: Not determined  
DOT Hazard Class: Not determined  
IATA-Class: Not determined  
IMDG-Class:

Not determined

**Packing group**

ADR-Packing Group:

Not determined

Exempted for ADR:

Not determined

IATA-Packing group:

Not determined

IMDG-Packing group:

Not determined

**Environmental hazards**

Marine pollutant: No  
Environmental Pollutant: Not determined

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not determined

**Special precautions**

Department of Transportation (DOT):

Not determined

Road and Rail (ADR-RID):

Not determined

Air (IATA):

Not determined

Sea (IMDG):

Not determined

---

**15. REGULATORY INFORMATION**

**USA - Federal regulations**

**TSCA - Toxic Substances Control Act**

**TSCA inventory:**

no substances listed

**Section 313 - Toxic chemical list:**

no substances listed

**USA - State specific regulations**

**California Proposition 65**

**Substance(s) listed under California Proposition 65:**

no substances listed

---

**16. OTHER INFORMATION**

<b>Code</b>	<b>Description</b>
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H332	Harmful if inhaled.

Safety Data Sheet dated: 5/28/2015 - version 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.  
This SDS cancels and replaces any preceding release.

**Legend to abbreviations and acronyms used in the safety data sheet:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
CLP: Classification, Labeling, Packaging  
EINECS: European Inventory of Existing Commercial Chemical Substances  
INCI: International Nomenclature of Cosmetic Ingredients  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
GefStoffVO: Ordinance on Hazardous Substances, Germany  
LC50: Lethal concentration, for 50 percent of test population  
LD50: Lethal dose, for 50 percent of test population  
DNEL: Derived No Effect Level  
PNEC: Predicted No Effect Concentration  
TLV: Threshold Limiting Value  
TWATLV: Threshold Limiting Value for the Time Weighted Average 8 hour day.(ACGIH Standard)  
STEL: Short Term Exposure limit  
STOT: Specific Target Organ Toxicity  
WGK: German Water Hazard Class  
KSt: Explosion coefficient